

(317) 346-4110 www.drainagesolutionsinc.com

Check Valves 🧩

Effectively prevent backflow in drainage lines.

Must provide a stable base, and installation using flexible couplers is recommended.

Horizontal installation in drainage systems helps keep basements from flooding.

- Eliminates backup in the field tile when creeks rise.
- Clean out with threaded plug allows easy maintenance and inspection.
- Fits SCH40 PVC pipe.
- Available in 3" and 4".


Check Valve Size	Overall Length
3"	7.5"
4"	10.8"





Must provide a stable base, and installation using flexible couplers is recommended.

- Constructed of rugged SDR35 PVC.
- Available with or without clean out.
- Clean out option with threaded plug allows easy maintenance and inspection.
- Full flow for drainage.
- Valves are not pressure rated.
- Valves are intended for gravity flow: Low pressure and some seepage may occur.
- Available in 6" through 12".



Check Valve Size	Overall Length	Stub Length
6"	21"	5.5"
8"	24"	5.5"
10"	25"	6"
12"	30"	7"

Oversized Check Valves 🧩



Unique in-ground, in-line backwater protection for tile drainage systems and a variety of commercial applications.

- Must provide a stable base, and installation using flexible couplers is recommended.
- Body constructed of rugged, 1/2"-thick PVC with SDR35 PVC stubs.
- Available with or without a clean out.
- Stainless steel screws and custom anodized aluminum corner extrusions used for strength and durability.
- Full flow for drainage.
- Valves are not pressure rated.
- Valves are intended for gravity flow: Low pressure and some seepage may occur.
- Available in 15" and 18".



Check Valve showing working parts and water flow direction.

Check Valve Size	Overall Length	Stub Length
15"	27"	4"
18"	30"	4"