



(317) 346-4110 www.drainagesolutionsinc.com

## Manufacturer's Specification Certification

## S1000 Single Net Straw Blanket Blanket

Contents:	100% weed free straw	
Netting:	Single Polypropylene Photodegradable	
Thread:	Photodegradable	
Roll Size:	100.0 sq yards/ 83.6 sq meters*	
Width:	8.00 feet/ 2.44 meters*	
<b>Functional Longevity:</b>	12 months	
Best Use:	3:1 slopes, Low-flow, roadways	
	* Standard sizes. Additional or custom sizes may be available.	

S1000 is a fully Photodegradable blanket. The netting is made from Single Polypropylene. The thread is Photodegradable, while the filament of matrix is 100% weed free straw.

Blankets can be produced from 50 SY to 1,000 SY and be from 4 ft. to 16 ft. wide.

As described in Federal Highway Administration's Standard Specification FP-03 in Section 713.17 and as described by ECTC as a Type 2.C.



Test Method Description	MARV*	
Mass/Unit Area ASTM D 6475	8.3 oz/sq yd	
Tensile Strength –MD ASTM D 6818	50 lbs/ft*	
Tensile Strength –TD ASTM D 6818	50 lbs/ft*	
Thickness ASTM D 6525	0.25+ inches*	
Light Penetration ASTM D 6567	12.4%	
Water Absorption ASTM D 1117, ECTC TASC 00197	412%	
Reported Fiber Length, 80 percent greater than	3 inches	
Elongation –MD ASTM D 6818	23.2 lb/in	
Elongation –TD ASTM D 6818	27.3 lb/in	
Vegetated Shear Stress	10lb/ft <sup>2</sup>	
Vegetated Velocity	18ft/sec	
Manning's "n" (0"-6")	0.035 *	
C Factor	<0.15@3:1*	
Permissible Shear Stress - ASTM D 7207	1.55lbs/ft.* <sup>2</sup> *	
Permissible rate of flow	5 ft/s*	
*MARV-Expected Minimum Average Roll Value		

Enviroscape ECM certifies that this product is designed to meet the above criteria and is manufactured to perform as described in the Federal Highway Administration's Standard Specification FP-03 in Section 713.17 and as described by ECTC as a Type 2.C.

Mark Delas

11/19/21

Mark Deitering - Quality Manager

Date

Toll free: 888.550.1999 300 S. Chestnut
Phone: 419.278.2000 Deshler, OH 43516
Fax: 419.710.5981 Email: Info@Strawblanket.com

International Erosion Control Association