

ADVANCED TREATMENT LEACHFIELD



(317) 346-4110 www.drainagesolutionsinc.com



GENERAL INFORMATION

The Infiltrator ATL is a patent-pending, proprietary system consisting of six components. Upon entering the Infiltrator ATL, septic tank effluent progresses through each component as follows:

- 4-inch-diameter pipe
- Large-diameter synthetic aggregate;
- Coarse geotextile;
- Small-diameter synthetic aggregate;
- Fine geotextile; and
- 6-inch depth of specified system sand.


Upon exiting the specified system sand, effluent is dispersed in the native soil.

Level Subsurface Systems

Cross-Section View (not to scale)

SOIL COVER FILL SAND TO TOP OF PRODUCT SYSTEM SAND MINIMUM DEPTH TO RESTRICTIVE LAYER PER CODE RESTRICTIVE LAYER PER CODE

Plan View (not to scale)



NOTES:

- 1. Number and length of conduit rows per design.
- 2. Serial distribution shown, but system may be served by distribution box or manifold to provide parallel distribution.
- 3. Pumping is not required unless gravity flow cannot be achieved.





(317) 346-4110 www.drainagesolutionsinc.com

U.S. Patents: 4,759,661; 5,017,041; 5,156,488; 5,336,017; 5,401,116; 5,401,459; 5,511,903; 5,716,163; 5,588,778; 5,839,844 Canadian Patents: 1,329,959; 2,004,564 Other patents pending. Infiltrator, Equalizer, Quick4, and SideWinder are registered trademarks of Infiltrator Water Technologies. Infiltrator is a registered trademark in France. Infiltrator Water Technologies is a registered trademark in Mexico. Contour, MicroLeaching, PolyTuff, ChamberSpacer, MultiPort, PosiLock, QuickCut, QuickPlay, SnapLock and StraightLock are trademarks of Infiltrator Water Technologies. PolyLok is a trademark of PolyLok, Inc. TUF-TITE is a registered trademark of TUF-TITE, INC. Ultra-Rib is a trademark of PolyLok.

© 2015 Infiltrator Water Technologies, LLC. All rights reserved. Printed in U.S.A.